

**NEW PRODUCT GUIDE**



**STREET ADVANCE for Tiida (C11/JC11/NC11/SJC11) will be released in September!**

**STREET ADVANCE**  
DAMPER

Vehicle Make / Model Chassis Code Displacement / Drive-Train	Kit w/o Upper Mount Part No. / MSRP	Set Spring	Ride Height Drop	Recommended Ride Height Adjustment Range (mm)	Ride Height Adjustable Range (mm)	Release Date	EDFC Fitting	Remarks
NISSAN TIIDA C11 1500cc / FWD	GSP58-21AS2 JPY101,000 JAN: 4582202757334	Ft: Exclusive Spring 4.0k Rr: Exclusive Spring 4.1k	Ft: -40mm Rr: -30mm	Ft: -50 to -30 Rr: -40 to -20	Ft: -65 to -17 Rr: -56 to -8	Mid September	[Motor Kit] EDK05-10120 (M10-M12)  [Controller Kit] EDK04-K4469	Due to individual differences for vehicles made Sep 2004 - December 2005, the center exhaust piece may not secure the 90mm road clearance at the recommended ride height. When using the product, adjust the ride height accordingly to secure 90mm min. road clearance.  [Upon EDFC Installation] Ft: Harness on body side may need to be reloaded if it's too close to motor.
NISSAN TIIDA JC11 1800cc / FWD			Ft: -50mm Rr: -35mm	Ft: -60 to -40 Rr: -45 to -25	Ft: -75 to -27 Rr: -61 to -9			
NISSAN TIIDA NC11 1500cc / AWD			Ft: -45mm Rr: -65mm	Ft: -55 to -35 Rr: -75 to -55	Ft: -70 to -22 Rr: -91 to -39			
NISSAN TIIDA LATIO SJC11 1800cc / FWD			Ft: -40mm Rr: -25mm	Ft: -50 to -30 Rr: -35 to -15	Ft: -65 to -17 Rr: -51 to +1		NOT Confirmed	Due to individual differences for vehicles made Sep 2004 - December 2005, the center exhaust piece may not secure the 90mm road clearance at the recommended ride height. When using the product, adjust the ride height accordingly to secure 90mm min. road clearance.

\*EDFC sold separately; Motor Kit: JPY15,500 / Controller Kit: JPY24,000



\*For vehicles manufactured on or after January 1st, 2006, there's a new regulation in place, limiting the position of light/lamp (e.g. fog light, turn-signal lamp). Please adjust the ride height to secure the minimum ground clearance from such light/lamp, to comply with Japan's vehicle safety regulations. For details on inspection standards, please contact the nearest National Agency of Vehicle Inspection. TEIN dampers are designed to comply with the regulations at the standard ride height drop.

**CHANGE IN PART NUMBER**



**New Part Number for STREET ADVANCE Kit for Vitz (NCP131) & Ractis (NCP120) !**



Vehicle Make / Model Chassis Code Displacement / Drive-Train	Kit w/o Upper Mount Part No. / MSRP	Set Spring	Ride Height Drop	Recommended Ride Height Adjustment Range (mm)	Ride Height Adjustable Range (mm)	Release Date	EDFC Fitting	Remarks
TOYOTA VITZ NCP131 1500cc / FWD	GSQ56-21AS2 JPY101,000 JAN: 4582202757174	Ft: Exclusive Spring 4.0k Rr: Exclusive Spring 3.1k	Ft: -35mm Rr: -25mm	Ft: -45 to -25 Rr: -35 to -15	Ft: -50 to -7 Rr: -51 to -12	Available NOW!	NOT Compatible	
TOYOTA RACTIS NCP120 1500cc / FWD			Ft: -40mm Rr: -40mm	Ft: -50 to -30 Rr: -50 to -30	Ft: -55 to -12 Rr: -66 to -27		NOT Compatible	

**\*Old Part Number "GSQ32-21AS2" has been discontinued and is no longer available.**

**COMPATIBILITY INFORMATION**

**STREET ADVANCE is now confirmed compatible on Serena (C25/CC25) !**



Vehicle Make / Model Chassis Code Displacement / Drive-Train	Kit w/o Upper Mount Part No. / MSRP	Set Spring	Ride Height Drop	Recommended Ride Height Adjustment Range (mm)	Ride Height Adjustable Range (mm)	Release Date	EDFC Fitting	Remarks
NISSAN SERENA C25 2000cc / FWD	GSK28-21AS2 JPY105,000 JAN: 4582202756542	Ft: Exclusive Spring 5.0k Rr: Exclusive Spring 7.0k	Ft: -45mm Rr: -40mm	Ft: -55 to -38 Rr: -50 to -30	Ft: -74 to -38 Rr: -62 to -30	Available NOW!	NOT Compatible	Spring Seat Position: Ft/Rr=+4/+5mm For vehicles (20RS/20RX) produced after January 1st 2006, if the position of the fog light is less than 250mm from the ground, it may NOT comply with vehicle safety regulations. Please adjust ride height so the distance is over 250mm.
NISSAN SERENA CC25 2000cc / FWD			Ft: -40mm Rr: -45mm	Ft: -50 to -33 Rr: -55 to -35	Ft: -69 to -33 Rr: -67 to -35		NOT Compatible	Spring Seat Position: Ft/Rr=+4/+5mm



\*For vehicles manufactured on or after January 1st, 2006, there's a new regulation in place, limiting the position of light/lamp (e.g. fog light, turn-signal lamp). Please adjust the ride height to secure the minimum ground clearance from such light/lamp, to comply with Japan's vehicle safety regulations. For details on inspection standards, please contact the nearest National Agency of Vehicle Inspection. TEIN dampers are designed to comply with the regulations at the standard ride height drop.

# COMPATIBILITY INFORMATION



## Compatibility Confirmed on Legacy Touring Wagon 2.0GT DIT (BRG) !

### DRIVING SPEC TYPE CONTROL MASTER FLEX

Vehicle Make / Model Chassis Code Displacement / Drive-Train	Kit w/ Upper Mount Part No. / MSRP	Set Spring	Ride Height Drop	Recommended Ride Height Adjustment Range (mm)	Ride Height Adjustable Range (mm)	Release Date	EDFC Fitting	Remarks
SUBARU LEGACY TOURING WAGON BRG 2000cc / AWD	DSS92-61SS3 JPY167,000 JAN: 4582202754241	Ft: I.D.65 7.0k 200mm Rr: I.D.65 6.0k 200mm	Ft: -45mm Rr: -55mm	Ft: -55 to -35 Rr: -65 to -45	Ft: -118 to -33 Rr: -107 to -45	Available NOW!	NOT Compatible	Case Length: Ft/Rr=+8/+7mm, compared to BR9

### STREET BASIS DAMPER

Vehicle Make / Model Chassis Code Displacement / Drive-Train	Kit w/o Upper Mount Part No. / MSRP	Set Spring	Ride Height Drop	Recommended Ride Height Adjustment Range (mm)	Ride Height Adjustable Range (mm)	Release Date	Remarks
SUBARU LEGACY TOURING WAGON BRG 2000cc / AWD	GSS92-11SS2 JPY88,000 JAN: 4582202757310	Ft: I.D.70 6.0k 225mm Rr: Exclusive Spring 5.0k	Ft: -45mm Rr: -50mm	Ft: -55 to -35 Rr: -60 to -40	Ft: -78 to -34 Rr: -88 to -16	Available NOW!	



\*For vehicles manufactured on or after January 1st, 2006, there's a new regulation in place, limiting the position of light/lamp (e.g. fog light, turn-signal lamp). Please adjust the ride height to secure the minimum ground clearance from such light/lamp, to comply with Japan's vehicle safety regulations. For details on inspection standards, please contact the nearest National Agency of Vehicle Inspection. TEIN dampers are designed to comply with the regulations at the standard ride height drop.

**For product information, please contact:**  
 TEIN INC. Sales Section  
 Phone (+81) 45-810-5501 / Fax (+81) 50-3156-3123  
[http://www.tein.co.jp/global\\_en.html](http://www.tein.co.jp/global_en.html)  
 E-mail [os-inquiry@tein.co.jp](mailto:os-inquiry@tein.co.jp)

